

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1.-7. (Cancel) Please cancel Claims 1-7 without prejudice or disclaimer.

Please add the following new claims:

8. (New) A vehicle seat of an open-top motor vehicle having an air supply device and at least one air outflow opening of the air supply device, which is provided in an upper region of the vehicle seat, via which an airstream generated by a blower can be applied to a sitting vehicle occupant head area, shoulder area and nape area in order to reduce undesired draught phenomenon,

wherein the airstream can be regulated by means of a control device of the air supply device, and

wherein, when the blower of the air supply device is switched on, the airstream is adjusted by means of the control device as a function of a predefined value, selectable by the sitting vehicle occupant, to an assigned basic value, starting from which the further adjustment of the airstream is carried out as a function of the velocity of the motor vehicle.

9. (New) The vehicle seat as claimed in Claim 8, wherein the basic value of the airstream is determined by an assigned fan speed of the blower and an assigned heating power of a heating element.

10. (New) The vehicle seat as claimed in Claim 8, wherein during the further adjustment of the airstream, the fan speed of a blower can be adjusted as a function of the velocity of the motor vehicle.

11. (New) The vehicle seat as claimed in Claim 9, wherein during the further adjustment of the airstream, the fan speed of a blower can be adjusted as a function of the velocity of the motor vehicle.

12. (New) The vehicle seat as claimed in Claim 8, wherein the basic value of the airstream is adjusted as a function of the external temperature.

13. (New) The vehicle seat as claimed in Claim 8, wherein the basic value of the airstream can be adjusted in one of a plurality of power levels.

14. (New) The vehicle seat as claimed in Claim 8, wherein during the further adjustment of the airstream the fan speed of a blower can be adjusted as a function of the velocity of the motor vehicle.

15. (New) The vehicle seat as claimed in Claim 8, wherein the external parameter value for adjusting the basic value is newly determined at regular intervals during the driving operation.

16. The vehicle seat of Claim 12, wherein the basic value of the airstream can be adjusted in one of a plurality of power levels.

17. (New) The vehicle seat of Claim 16, wherein during the further adjustment of the airstream the fan speed of a blower can be adjusted as a function of the velocity of the motor vehicle.

18. (New) The vehicle seat of Claim 9, wherein the external parameter value for adjusting the basic value is newly determined at regular intervals during the driving operation.

19. (New) The vehicle seat of Claim 10, wherein the external parameter value for adjusting the basic value is newly determined at regular intervals during the driving operation.

20. (New) The vehicle seat of Claim 11, wherein the external parameter value for adjusting the basic value is newly determined at regular intervals during the driving operation.

21. (New) The vehicle seat of Claim 12, wherein the external parameter value for adjusting the basic value is newly determined at regular intervals during the driving operation.

22. (New) The vehicle seat of Claim 13, wherein the external parameter value for adjusting the basic value is newly determined at regular intervals during the driving operation.

23. (New) The vehicle seat of Claim 14, wherein the external parameter value for adjusting the basic value is newly determined at regular intervals during the driving operation.

24. (New) An air supply arrangement for supplying a draught reducing airstream to a vehicle occupant neck area during driving of an open top motor vehicle comprising:

an airstream supply system operable to blow an airstream adjacent the vehicle occupant neck area,

manually operable selection means for selecting one of a plurality of basic airstream parameters, and

a vehicle speed responsive control means operable to further adjust the selected basic airstream parameters as a function of vehicle velocity.

25. (New) An air supply arrangement according to Claim 24, wherein said basic airstream parameters include airstream velocity and airstream temperature.

26. (New) An air supply arrangement according to Claim 24, wherein the airstream supply system includes a blower and a heater, and

wherein said selection means and control means are operable to select and control the blower and heater.

27. (New) An air supply arrangement according to Claim 25, wherein the control means is operable to change the velocity of the airstream linearly as a function of the vehicle speed.

28. (New) An air supply arrangement according to Claim 25, wherein the control means is operable to change the velocity of the airstream non-linearly as a function of the vehicle speed.

29. (New) An air supply arrangement according to Claim 25, wherein the control means is operable to change the temperature of the airstream linearly as a function of the vehicle speed.

30. (New) An air supply arrangement according to Claim 25, wherein the control means is operable to change the temperature of the airstream non-linearly as a function of the vehicle speed.

31. (New) An air supply arrangement according to Claim 25, wherein the control means is operable to change the temperature and the velocity of the airstream as a function of the vehicle speed.